AGINE EZING General Catalogue 2020





GONTENT

Z1 Nature	28
Z06 Nature Inox	32
Z14 Nature Self Service Inox	36
Z40 Nature Adapt ——————	44
Z22 Juice Extractor ————————————————————————————————————	50
Z14 Nature Contactless Inox 16 Kg	64
Z14 Nature SS Cabinet Slim	72
Z40 Nature Adapt Cabinet Store	76
Z40 Nature Multifruit Range	82
ZV25 Nature	88
Z10 Nature —	92
ZK Kiosk —	96

Zummo Zummo Zummo The future is now Zummo

THE FUTURE IS NOW.

At Zummo, we strive to be an innovation benchmark; by setting trends rather than following them, by keeping ahead of consumers' needs rather than waiting for them to tell us what they need. Because, for Zummo, the future is now.



Society works and consumes differently. **The happiest and most productive workplaces** are
not just responding to this change, but they are
also leading it. **Do you want to be one of them?**

The food that we find at work, apart from reflecting food trends, must help to create an excellent experience that will squeeze all the potential from the workers. This is a holistic approach: it does not just foster the performance of people, but it also strengthens the company's reputation, positioning it as it a favourite firm where people want to work.

The workers are aware of how important it is to look after themselves, health-wise, and they want to have access to nutritional food that will help them to maintain a healthy diet and feel well. With Zummo, the workers' access to healthy food is simplified. With Zummo, companies can make a real difference in the health and wellbeing of their workers.

IT'S TIME TO FEEL GOOD

This is your moment.
Disconnect, have a Zummo and feel good.



HEALTHY LIFE



The Healthy food concept has evolved. What was, a few years ago, limited to low-calorie and low-fat food, has now spread to healthy and sustainable food, focusing on consumers' well-being and protecting the environment.

A freshly-squeezed fruit juice satisfies the expectations of healthy consumers. And with Zummo, they also obtain:

-User Experience: customers play a key role. They activate the juice extraction and witness the whole process.

•Variety: juice from different types of fruit, alone or combined.

•Inmediacy: instant and ready-to-drink juice.

-Grab & Go: takeaway juice. The customer squeezes it and drinks it anywhere and anytime.



MASS GREEN

The Mass Green movement is based on a new consumption method. It is a change brought about by consumers themselves, in their search for both their physical and emotional well-being. This change influences the whole food value chain, giving way to new consumption methods, and the market needs to adapt to this new paradigm.

"Consumers want to eat more healthfully, but they can't do it alone"

(Andrew Mandiz, strategic director of Nielsen)

What industry offers.

Characteristics desired by consumers.

* Data obtained from global studies by Datamonitor 2017 and Nielsen Global Health and Ingredients Survey 2017



EVS Advanced Zummo **EVS Advanced**

The heart of our extraction system



The fruit drops from the basket to the cup.



The cups rotate 90° around their own axis, and the fruit is cut vertically.



Purer and more natural juice

The oils that are naturally present in the peel of the fruit never enter into contact with the juice or with the parts that make up the juice extraction kit.

Maximum efficiency

It prevents jamming caused by peel, and it minimises splashes and pulp remains that might be generated, further facilitating the cleaning process.



Each cup houses one half of the fruit and continues to rotate up to 180°.



The cut fruit is pressed vertically against the balls and the juice is obtained, which goes directly to the receptacle.

YIELD

With EVS® we maximise the yield of Zummo juicers. Whatever the citrus fruit used. Whatever the calibre.

Maximising the yield of your juicer was never so easy or quick. Just select the juice extraction kit that adapts best to the calibre of the fruit you are going to squeeze.

It is very easy. Our kits cover a wide juice extraction range, from Ø 40 to 100 mm, or in other words, from limes to large grapefruit. Because our juice extraction kits have been developed to squeeze any type of citrus fruit, and also pomegranates.



		S		M		L		XL	
			<u> </u>						
Ømm		40-60	45-60	53-76	55-75	64-88	65-90	70-90	77-100
Model	Z1	-	-	-	Standard	_	Optional	-	-
	Z06	-	Optional	-	Standard	-	-	Standard	-
	Z14	-	_	-	Standard	-	_	Standard	-
	Z40	Optional	_	Standard	_	Optional	_	-	Optional

A tip...

How to identify the right Juice Extraction Kit to maximise the yield of your Zummo.

If the diameter of the fruit is compatible with two Juice Extraction Kits, we advise you to choose the smallest of the two.

For example, to extract juice from Ø 74 mm oranges with Z14 Nature, we could use either kit L or kit M. In this case, it would be advisable to do it with kit M.



Zummo Colour Kits

MELA GOLOUR KITS

Easier to identify!





Our juice extraction kits come in different colours: grey, orange, maroon and pink.

Each colour corresponds to a kit size, so they are easily identifiable.

Kit S: limes, tangerines and small oranges.

Kit M: oranges and lemons.

Kit L: large oranges, grapefruit, and pomegranates*

Kit XL: extra large oranges, grapefruit and large

pomegranates*


^{*}Suggested fruit. Using one kit or another will depend on the calibre of the fruit to be squeezed.

Zummo Colour kits Zummo Colour kits

Do not forget that...

- Every juicer model has its own specific kits.
 Although the different machine kits are the same colour, they do not necessarily share the same juice extraction range, so, a priori, they are not exchangeable between different machine models.
- The colours of the juice extraction kits are independent of the colours of the machine containers.





AUTOMATIC EILTER STATE

One of the major constant features of Zummo is facilitating the usability of our juicers as much as possible. With this objective in mind, we developed the Auto Cleaning System, an automatic cleaning filter system, included as standard in models Z06, Z14 and Z40 of the Nature range.

How does it work?

The Auto Cleaning System improves the juicer's yield with the automatic filter. It has a polyurethane band that enters into motion when the juicer is activated, sweeping away the seeds and pulp resulting from the juice extraction, and depositing them in the peel containers.

How does the Auto Cleaning System improve your Zummo experience?

- Greater autonomy. You can spend more time on other tasks, as you will not have to worry about cleaning the filter of your juicer; not until the end of the day.
- More satisfied customers. The path of the squeezed juice until it reaches the glass is shortened, as there are no pulp remains to impede it. So, the juice reaches the glass with the most natural and purest flavour possible.
- Greater yield. The automatic filter is always clean, with no accumulated pulp, so not one single drop is wasted when the juice passes through it.




Cleaning and hygiene in 4 steps*:

- Dismount the juicer parts.
- Wash them by hand, with neutral soap, or in dishwasher (except for the front cover).

Easy Clean

- Disinfect the parts with a product that is suitable for food use.
- Mount the parts on the juicer.



*Consult the user manual to follow the details of the cleaning and sanitation process.

We want you to

important things

spend your time on



Other Adapt Tray benefits:

- **Easy-to-clean.** The Adapt tray comprises just two pieces that are very easy to dismount and clean, even in the dishwasher.
- **Hygiene.** The largest flow rate of the tap helps to fill bottles in less time, avoiding jamming; and its interior design prevents the juice from depositing on the base.
- **Image**. The Adapt tray is totally integrated with the Z40 Nature design, providing the product with an elegance and quality bonus.

For Z40 Nature The property of the property o

The Adapt tap tray, developed by Zummo and standard in all the Z40 Nature models, provides the machine with a series of advantages that convert it into a reference in the sector. The operator can choose the juicer operating model by just turning a knob: Fixed mode (programming the number of pieces of fruit to juice) or Self Service mode (the juice extraction is activated when the machine is turned on).





«When we started out on this adventure, almost 30 years ago now, I could never have imagined getting as far as we have today, distributing energy to so many people.

Ever since I was a kid, I have lived surrounded by orange groves. I suppose that, without realising it, they started to become part of my life; so much so, that they became an essential part of it, my passion, encouraging me to put all my energy into trying to obtain maximum purity from the fruit.

I decided, together with Rafa, my son-in-law, to set up a modest workshop in a small garage. There we would construct the first machine prototype that would manage to squeeze oranges, obtaining a perfect juice.

Today, after all these years, and seeing how we have evolved since we started in that garage, I feel very proud. Proud of feeling how that ambition has given its fruit, and how, today, we have a promising future ahead, and that we haven't lost any of that passion we began with».

Founder of Zummo

WHYIS ZUMMO DIFFERENT?

All our efforts are aimed at offering excellent juicers, which obtain the best juice in the easiest and most cost-effective way.

Learn how we achieve this.

☐ Flavour and purity

Our vertical juicing system, EVS® is the essence of our juicers, and it is what sets them apart. The juice never enters into contact with the peel and the path to the disposable cup is minimal, guaranteeing maximum purity and the most natural flavour.

Yield

Our juice extraction kits cover the widest juice extraction range of the market. They are compatible with 40 to 100 mm diameter fruit. This, together with the EVS® technology, maximises the juice extraction yield, whatever the citrus fruit and whatever the size.

Adaptability

We are not just talking about orange juice. With Zummo, squeezing juice from pomegranates, grapefruit, limes or mandarins is just as easy*

☑ Easy clean

Minimise the generation of waste during the juice extraction process, making the cleaning process easy, fast and intuitive. Reduce the time spent on servicing your juicer.



Zummo Food Servi

FOOD SERVICE

Restaurants, bars, cafeterias, hotels, shops... the Zummo Food Service line has been designed to provide service in any type of establishment. Depending on the characteristics, Zummo offers each business the perfect juicer to cover their needs and get maximum return on their investment.



Z1 NATURE



6,5 Fruit per minute



1kg Feeder



91 Container capacity

Available colours



Consumption











Type of fruit

Available kits



TECHNICAL FEATURES

230 V - 50 Hz. 220 V - 60 Hz. 110V - 60 Hz. Voltage

Motor Single phase 0,16 CV

Energy consumption 165 W - 1.8 W on standby

Standby system Yes 29,5 kg Weight **Automatic Feeder** 1 kg Fruit per minute 6,5

91 Bin capacity Diameter of fruit 55-75 mm. Opt: 65-90 mm 678 (h) x 340 (w) x 387 (d) mm Dimensions

Yes

Safety Blocking sensors

Programmer

THE PERFECT OPTION **FOR SMALLER SPACES**



Food Service Food Service Z1 Nature

The Z1 Nature juicer is Zummo's most compact model, and it is recommended for premises with limited space. It has been designed to become the most effective and profitable solution for businesses with a juice consumption of less than 30 glasses per day.



Z06 Nature Food Service Z06 Nature Food Service

ZOG NATURE INOX



10

Fruits per minute

EVS ADMID

1,5 kg Feeder

Container capacity

Available colours

















¹ Stainless steel containers or chutes

Consumption





Available kits











Type of fruits











TECHNICAL FEATURES

230 V - 50 Hz. 220 V - 60 Hz, 110 V - 60 Hz. Voltage

Motor Single phase 0,33 CV

275 W Energy consumption 52,5 kg Weight 1,5 kg Automatic feeder Fruits per minute

Bin capacity 55-75 mm /70-90 mm. Opt: 45-60 mm Diameter of fruit

22 I (2 x11)

811 (h) x 500 (w) x 431 (d) mm Dimensions

Safety Blocking sensors Yes Programmer

Basket capacity 6 kg Automatic


VERSATILITY IN ITS PUREST STATE



Filter

Food Service Food Service Z06 Nature

The Z06 Nature model is Zummo's most versatile juicer. It extracts juice from all types of citrus fruit as well as pomegranates. The perfect option for those who seek great flexibility in their offer.



Z14 NATURE

SELF SERVICE INOX



16 Fruits per minute EVS ADMID



Basket capacity



18

Container capacity



Available colours















¹ Stainless steel containers or chutes

Consumption

















Type of fruits







Availabre kits

TECHNICAL FEATURES

Voltage 230 V - 50 Hz. 220 V - 60 Hz. 110 V - 60 Hz.

Motor Single phase 0,33 CV

Energy consumption 275 W 58,5 kg Weight 16 Fruits per minute

Bin capacity 18 I (2 x 9)

55-75 mm / 70-90 mm. Diameter of fruit Dimensions 867 (h) x 478 (w) x 488 (d) mm

Safety Blocking sensors

Programmer Yes Basket capacity 9 kg Automatic

¹Self Service

*16 kg

*Optional

ENDLESS POSSIBILITIES FOR YOUR BUSINESS



Food Service Food Service Z14 Nature

Z14 Nature is the most highly recommended option for businesses with high juice consumption. The capacity of its baskets and of its peel containers provide it with great autonomy, a key factor for buffets, restaurants and the retail sector.





Food Service Food Service T14 Nature

Now, Z14 Nature also squeezes pomegranates.

Z14 Nature has evolved. Zummo presents this updated version which includes a series of technical adjustments, made to be able to juice pomegranates more efficiently, without interruption, without incidents, and with maximum yield.





Z40 Nature Food Service

Z40 NATURE





Fruits per minute



20 kg Basket capacity





Container capacity





Stainless steel containers or chutes













Type of fruits

















Tray

TECHNICAL FEATURES

230 V - 50 Hz. 220 V - 60 Hz, 110V - 60 Hz Voltage

Motor Single phase 0,5 CV 360 W — 2,4 W on Standby Energy consumption

81,5 kg Weight 40 Fruits per minute

Bin capacity 30 I (2 x 15 I)

53-76 mm. Opt: 40-60mm / 64-88 mm / 77-100 mm Diameter of fruit

Dimensions 980 (h) x 595 (w) x 550 (d) mm

Blocking sensors Safety Yes

Programmer 20 kg Basket capacity Automatic Filter Self Service Yes

COMBINED

SPEED AND EFFICIENCY

Z40 Nature

Food Service



Food Service Food Service Z40 Nature

Model Z40 Nature is the perfect juicer to attend to the needs of mass catering and superstores. Its capacity to extract large amounts of juice in a short period of time - up to 40 pcs. of fruit per minute – permits satisfying the typical demand peaks of this type of establishment.



«Over the last few years, we have carried out different actions to maximise our workers' well-being. One of the most-liked proposals has been the installation of a Z14 Contactless juicer in our Coffee Service, as well as a Z10 vending machine in the lobby. This measure has been welcomed by all colleagues. Moreover, we contribute to fostering a healthier lifestyle, which is one of the main pillars of our Social Corporate Responsibility policy: disseminating good practices that focus on promoting employees' health and well-being».

> Chief Human Capital Officer Multinational technology company



Food Service Z22 Juice Extractor

722

Juice Extractor



- · Fast and easy cleaning, in 5 minutes
- · Magnetic disc and filter attachment
- · Up to 2 litres per minute
- · Encapsulated motor
- · Silent. Its rubber base absorbs vibration
- · Ø 75 mm feed space
- · Aluminium body and stainless-steel bowl

High productivity and yield centrifugal juicer for fruits and vegetables with attached pulp tank. It is the ideal option to offer the best combinations.

800 W Power

3000 RPM

91

Container capacity









TECHNICAL FEATURES

Voltage 220 V - 50 Hz Power 800 W 275 W Consumption 3000 Rpm Rpm

Weight 18,5 kg Bin capacity


290 (h) x 438 (w) x 512 (d) mm Dimensions



WE ARE NOT JUS TALKING ABOUT ORANGE JUICE.


The perfect breakfast, tea or snack are much more than the classical orange juice. Zummo opens up new possibilities for increasingly demanding consumers who are hungry for new experiences: in addition to orange juice, add grapefruit, tangerine, lime, lemon or pomegranate. Alone or combined. With Zummo, any option is possible.

	Tangerines, limes	Oranges, lemons	Pomegranates	Grapefruit	
Z1	\boxtimes		\boxtimes	\boxtimes	
Z06		V	V	✓	
Z14	\boxtimes		V		
			V		



ummo Contactless Juicing

GCRIAGILESS JUNE 11 JUNE 12 JU



Zummo launches its juicer line with built-in cashless payment systems, to enjoy a freshly-squeezed juice anywhere and anytime.

Flexibility is a priority today. People eat when they need to, with no preset times or places, and they move around according to their own preferences: first thing they go out for a run, they have breakfast on their way to work, they have a coffee mid-morning, and a snack mid-afternoon; but people no longer want processed and nutrient-poor products, people want healthy options.

Payment methods:

- Prepayment/loyalty cards
- Credit/debit cards
- Mobile apps/payment gateways*

The Z14 Nature Contactless model is the best choice. This **Z14 Nature version has a payment system that activates the machine, squeezing the juice right then.** And the user witnesses the entire process! That is why it is the ideal option for your offices, OCS, coworking spaces, grocerants, convenience stores or hotel lobbies.

*Some of the payment gateways supported:


















«Our company is engaged in marketing organic fruit and vegetables for the Food Service sector. There is increasingly more awareness about caring for one's own health and the planet's health, so we give our customers top quality bio and km0 products. I must acknowledge that including Zummo juicers in our offer was not something that we had considered at the start of this project. The need arose from our customers. They wanted to offer a juice that would maintain all the properties, as well as the flavour of organic products - that was when we started to investigate. We had heard about the Zummo juicers and their EVS® and we didn't think twice. Our main business model is leaving the machine at our customer's facilities, in deposit, and become their fruit suppliers. We also collect the peel from the squeezed fruit for composting. A win-win situation with which we are more than satisfied, as are our customers!».

Founder of an organic crop startup

INNOVATION

Innovation is part of our DNA. In 1992, our starting point was the development of EVS®, a unique system which has made us the company we are today.

Now, at Zummo, our efforts are still aimed at innovating, identifying resources that will enable us to provide society with better products, increasing competitiveness, and committing to a business model based on identifying, developing and implementing new ways of doing things.



The most outstanding innovation milestones of Zummo are:

- EVS
- Pomegranate juice
- Vending
- Adapt tray




Zummo Juice Corner Zummo

JUIGE GORNER

The OCS (Office Coffee Service) concept has become an essential asset in any company or workplace. Different studies ratify what is already a reality: a quality coffee area is greatly welcomed by workers; it makes them feel more highly considered, attracting new talents, retaining personnel, and ultimately, improving productivity.

But, what do workers really need?

«73% of the workers consider that their organisation must provide healthy food at work».



Zummo Juice Corner Zummo Juice Corner

ASEGMENT WITH HIGH POTENTIAL

«84% of the CEOs describe the need to improve the employee's experience as an "important" or "very important" topic».

% of whom agree

100

"Request healthy products in their company"

-080%

--0 79%


-0 77%



There are more than 317,000,000 companies in the world.

There are more than 25,000,000 companies in Europe.

There are more than 1,330,000 companies in Spain.



Offering a coffee service is no longer enough. Consumer trends have evolved towards healthy food and this repeats itself in the labour sphere. Natural, non-processed and sustainable products are essential to complete any quality Office Coffee Service. This trend is going to spiral up over the coming years, as the new generations are the most critical when asking their companies for healthy products.

Z14 NATURE

16KG CONTACTLESS INOX



16 Fruits per minute

EVS



16 kg Basket capacity*



Container capacity



Available colours



Consumption

Available kits





















TECHNICAL FEATURES

230 V - 50 Hz. 220 V - 60 Hz. 110 V - 60 Hz. Voltage

Motor Single phase 0,33 CV

275 W Consumption Weight 60,5 kg 16 Fruits per minute Bin capacity

18 I (2 x 9 I)

Diameter of fruit 55-75 mm / 70-90 mm **Dimensions** 892 (h) x 478 (w) x 485 (d) mm

Safety Blocking sensors Programmer Yes

Basket capacity 16 kg Filter Automatic Payment system Yes

¹Only compatible with stainless steel containers or chutes with elevation kit










Zummo



Zummo Zummo Zummo





RETAIL

Modular units designed to cover the natural juice demand in superstores. The Zummo Retail range includes juicers, cabinets, dispensers and specialised accessories that can be combined to offer the most adequate solution for every space. Juice extraction efficiency, intuitive use and simple maintenance. These are the key points that make Zummo Retail the best option to make your business grow.



Retail

Z14 NATURE

SELF SERVICE CABINET SLIM



16 Fruits per minute













Consumption







Basket capacity

Container capacity











Available kits





TECHNICAL FEATURES

Voltage Motor

Energy consumption

Weight

Fruits per minute Container capacity

Diameter of fruit

Dimensions Protection

Basket capacity Programmer

Filter

Gastronorm (G)

230 V - 50 Hz. 220 V - 60 Hz. 120 V - 60 Hz.

Single Phase 0,33 CV

275 W 101,6 kg 16

50 I

55-75 mm / 70-90 mm

1600 (h) x 500 (w) x 600 (d) mm

Blocking sensors

9 kg Yes Automatic Yes





*Standard

* Optional

GREAT AUTONOMY IN THE MINIMUM SPACE



To offer customers an extra service, it is no longer necessary to have large spaces or make great investments. With the Z14 Retail range any type of shop or business can add juice to their offer.



Z40 NATURE

CABINET STORE



40

Fruits per minute







20 kg Basket capacity











Consumption



Available likits





100 | Container capacity





















Adapt Tray



*Gastronorm




*Tank

*Optional

MAXIMUM YIELD FOR CONTINUOUS SERVICE

Retail





Weight

230 V - 50 Hz. 220 V - 60 Hz. 110 V - 60 Hz. Voltage Motor

Single phase 0,5 CV 360 W — 2,4 W Stand by Energy consumption 122,5 kg

40 Fruits per minute 100 I Bin capacity

53-76 mm. Opc: 40-60 mm / 64-88 mm / 77-100 mm Diameter of fruit

Dimensions 1762 (h) x 800 (w) x 600(d) mm

Safety Blocking sensors

Basket capacity 20 kg Yes Programmer Filter Automatic EasyFill Yes Self Service Yes (Adapt)



Retail Zummo+HMY Retail Zummo+HMY

With the modular corners, different pieces can be combined to achieve a totally personalised unit. Combining juice extraction, bottlerack and storage modules offers endless possibilities that will adapt to each customer's specific needs, to create their ideal solution.




We collaborate with HMY in our new projects. The HMY Group are leaders in engineering, manufacturing and assembly of furniture for retail, and experts in offering integrated solutions for brands and retailers.



MULTIFRUIT

With the Multifruit range, Zummo adapts its original Z40 Nature Adapt to juice pomegranates, limes, tangerines and lemons, as well as oranges, adapting to the characteristics of each fruit to obtain maximum yield. The Multifruit range is a novel solution, designed to extend the juice offer, obtaining maximum return on investment from each one of them.



«Competition has intensified. Customers are no longer loyal to their local fruit shops, which is what used to happen; they are now taken away by those proposals that afford them an added value, a user experience. That is why I decided to rent a Z06 juicer for my shop. Customers love coming, selecting the fruit, citrus fruit or pomegranates themselves, and making instant juice. They even come from all over the city! The truth is that I am so satisfied with the results that I am considering installing another Zummo juicer».

Fruit Seller



Zummo Vending Nature Zummo

VENDING NATURE



"The tendency in trade is to automate sales processes, and thus save costs, personnel and time. Vending has become one of the most lucrative and fast-growing commercial activity worldwide over the last few years. It is an ingenious way of harnessing resources, which can provide an additional source of income or become your main economic activity".

The 5 vending keys:

1.Time. Once your Zummo Vending network has been implemented, the time investment is minimal. Estimated: For every 100 machines, just 30 weekly working hours are required, approximately.

2.Open 24h. Generation of income day and night, 365 days a year, with no social security, benefits or staff costs.

3.Investment. The overheads and maintenance costs of the Zummo Vending model are low, which affords a return on investment in a very short time, quickly increasing the capital.

4.Juice. As juice is an impulse product, the model becomes a highly profitable business.

5.Vending. This sales model is increasingly more implemented.

ZV25 Nature Vending Nature **Vending Nature**

ZV25 NATURE



14 Fruits per minute

25 kg Basket capacity











Container capacity













Type of fruit





Available kits

Consumption





TECHNICAL FEATURES

Voltage 230 V - 50 Hz. 220 V - 60 Hz, 110 V - 60 Hz.

700 W Energy consumption

Autonomy 50-55 services

Service time 21 seconds (according to configuration)

Coolant R134A Weight 225 kg

Feeder 25 kg of fruit

Disposable cup dispenser 115 units for Ø 70-71 cups, from 150 cc to 220 cc


Diameter of fruit Ø 55-75 mm Opt: 70-90 mm **Dimensions** 1845 (h) x 680(w) x 780 (d) mm

Safety Blocking sensors

Max. water intake pressure Squeezer

6 bar Z14

£.



VENDING'S MOST COMPACT SOLUTION



Vending Nature Vending Nature ZV25 Nature ZV25 Nature

The ZV25 is Zummo Vending's most compact solution in terms of dimensions, and the largest in features. Its small size makes it ideal to be installed in offices, shops or businesses.



Z10 Nature Z10 Nature Vending Nature **Vending Nature**

Z10 NATURE



10 Fruits per minute

45 kg Basket capacity











Consumption

Available kits













Container capacity













Type of fruit









TECHNICAL FEATURES

230 V - 50 Hz. 220 V - 60 Hz, 110 V - 60 Hz. Voltage

1400 W Energy consumption

100-110 services Autonomy

Service time 21 seconds (according to configuration)

Coolant R134A Weight 298 kg

45-50 kg of fruit Feeder

140 units for Ø 70-71 cups, from 150 cc to 220 cc Disposable cup dispenser

Diameter of fruit Ø 55-75 mm Opt: 70-90 mm Dimensions 1830 (h) x 1000(w) x 680 (d) mm

Safety Blocking sensors

Max. water intake pressure 6 bar Z06 Squeezer


Special product upon request £.

THE BEST OPTION TO **RESPOND TO LARGE DEMANDS**



Vending Nature Vending Nature Z10 Nature

The Z10 model, which is larger in size and capacity, is the best option to respond to large demands. Ideal for places where there is a large influx of visitors, such as shopping centres, airports, stations, hospitals or sports facilities.



Zummo Kiosk ZK Zummo Kiosk

ZUMMO KIOSK



The Zummo Kiosk business model has an original and appealing design that draws the public's attention to the point of sale. It can be customised according to the needs of the brand, space or setting. Its 360° vision affords great versatility in any space. A portable business in a very small space.

"The fastest and simplest way of opening a profitable business that can be adapted to any space."

ZK KIOSK



Weight Size-closed Size-open Opening 300 kg 2655 (h) x Ø 2240 mm 3445 (h) x Ø 2240 mm 790 mm





CUSTOMISE YOUR KIOSK

Do you want to convert your Zummo Kiosk into an exclusive point of sale? With the Zummo customisation service, it is possible. A specialised team will advise you to find the Kiosk that adapts best to your business, assuming responsibility for all the production details. You will obtain a unique, more recognisable Kiosk that will generate the greatest possible visual impact, which translates into greater profitability for your business. What are you waiting for? Consult us!

ZK

* Check customization possibilities

Kiosco Zummo ZK













Possibilities of customising interiors. Consult conditions.

AFTER-SALE, MAINTENANCE AND WARRANTIES

The quality of the Zummo products is complemented with the after-sale, maintenance and warranty services, both from Zummo headquarters and from the official dealers and authorised technical services worldwide.

1. Installation and training in shops

Specialised staff will install the machine in the establishment, leaving it up and ready to operate.

During the installation, the operators will receive training in the daily tasks to be carried out: assembly, dismantling and cleaning.

2. Technical training

Zummo will offer technical training that adapts to the machine operators, so that they will be able to solve small incidents and thus gain in autonomy.

3.Extensive customer support hours

At Zummo we are perfectly aware of the long opening hours of commercial establishments, so we adapt our after-sale service to your needs:

a). Call Center: according to our statistics, 85% of the incidents can be solved by telephone. That is why Zummo has qualified technical staff who attend to the Call Centre, from Monday to Friday, from 8 am to 10 pm nonstop.

b). Extensive support: you will always find technical staff on duty at weekends, thus guaranteeing the service 6 days a week.

How do we manage possible incidents?


If an incident occurs, it will be scheduled to be solved within 24 hours at the latest following receipt.

How do we manage the delivery of spares?

When a customer needs spares, he will request them directly from Zummo. Spares requested before 12 o'clock (local time in Spain) will be sent the same day, unless the quantities are considerable which would lead to stock out, in which case, they will be informed of the delivery time.

Warranty

Zummo offers a 3-year warranty extendable to 5 for its juicers. This extension is achieved by adhering to the Zummo preventive* maintenance plan.







Zummo Accesories Zummo

Z1 ACCESSORIES

Container

- ¹ Ref. 1903008A-1 ² Ref. 1903008A-2 ³ Ref. 1903008A-3 ⁴ Ref. 1903008A-4



· Capacity: 9 I

Large cup kit



- · Ø 65/90 mm
- · Comprised of: 1 large ball + 1 large cup + 1 elastic supplement
- +1Ø90 mm calibrator

Basket Ref. 1902016



· It enables storage of up to 2.5 kg fruit

Z06 ACCESSORIES

Container

- ¹ Ref. 0508039-1 ² Ref. 0508039-2 ³ Ref. 0508039-3 ⁴ Ref. 0508039-4



- · Suitable for all Z06 Nature models
- · Capacity: 22 I

Inox containers

Ref. 0508040



- · Suitable for all Z06 Nature models
- · Capacity: 22 I

Inox chutes Ref. 0509B00B



Accesories

- · Suitable for Z06 Nature models
- · Stainless steel

Peel collection box Ref. 0509001-N



- · Capacity: 39 I
- · Weight: 15 kg
- · 276 (h) x 508 (w) x 435 (d) mm
- · Stainless steel

Cabinet G Slim Ref. MDC06-N



- · Weight: 34,5 kg
- · 780 (h) x 500 (w) x 600 (d) mm
- · Waste tank: bag
- · Gastronorm tray + lid

Small cup kit Ref. 0505026



- · Suitable for all Z06 Nature models
- · It squeezes Ø 45/60 mm fruit
- · Comprised of: 2 small balls
- + 2 small cups

Zummo Accesories Zummo Accesories

Z14 ACCESORIES

Self Service tap tray Ref. 1405034A-1



- · Suitable for all Z14 Nature models
- · Includes: dispenser tap
- · Bottle support (Ref.210841)

Z14 Complete tank Ref. 1408056A-5



- · Suitable for all Z14 Nature models
- · Capacity: 4 I
- · 280 (h) x 254 (w) x 349 (d) mm

Hopper kit for 16 kg fruit Ref. 1403026A-1



- · Capacity for 16 kg fruit
- · Kit comprised of hopper, hopper track and basket
- · Available basket without lid
- · Lid available separately

Containers

- ¹ Ref. 1408042-1
- ² Ref. 1408042-2 ³ Ref. 1408042-3 ⁴ Ref. 1408042-4



- · Suitable for all Z14 Nature models
- · Capacity: 14 I

Inox chutes Ref. 1408044



- · Suitable for Z14 Nature models
- · Stainless steel

Inox containers Ref. 1408043



- · Suitable for models Z14 Nature and Z14 Nature Self Service
 - · 355 (h) x 296 (w) x 107 (d) mm
 - · Capacity: 18 I
 - · Stainless steel

Z14 ACCESORIES

Elevation kit with chutes Ref. 1408049



- · Suitable for Z14 Nature models
- · Stainless steel
- · Elevation: 45 mm

Elevation kit with containers Ref. 1408050



- · Suitable for Z14 Nature models
- · Stainless steel
- · Elevation: 45 mm

Cabinet G Slim Ref. MDCESP14-N



- · Suitable for models Z14 Nature and Z14 Nature Self Service
- \cdot 780 (h) x 500(w) x 600 (d) mm
- · Weight: 34 kg
- · Gastronorm tray + lid

Cabinet Fresh Ref. MF14-N



- · Suitable for model Z14 Fresh
- · 890 (h) x 650 (w) x 530 (d) mm
- · Weight: 53,1 kg
- · Cooling equipment

Cabinet Fresh Plus



- · Suitable for model Z14 Fresh
- · 890 (h) x 840 (w) x 530 (d) mm

Ref. MFP14-N

- · Weight: 60,8 kg
- · Cooling equipment

Z40 ACCESORIES

Large juice extraction kit Ref. 210536



- · Ø 64/88 mm
- · Comprised of: 2 large balls+ 2 large cups + 1 separator

Extra-large juice extraction kit



- · Ø 77/100 mm
- · Comprised of: 2 extra-large balls+ 2 extra-large cups + 1 separator

Juice extraction kit S Ref. 210332A



- · Ø 40/60 mm
- arge Comprised of: 2 S balls+ 2 S +1 cups+ S ring + Funnel + D80 blade

Inox chutes Ref. 210932



- · Suitable for Z40 Nature model
- · Stainless steel

Complete tank Ref. 210816D-5



- · 7,6 I tank
- · Dispenser tap
- · Includes: 1 dispenser tap, 1 manual stirrer, tank support, t ank lid, transparent plastic tank

Adapt tray Ref. 210561C-1



- · Suitable for Z40 Nature Adapt
- · Dispensing tap
- · Continous mode
- · Bottle support not included (Ref. 210842)

Z40 ACCESORIES

Cabinet Plus G Ref. MDPC40 2.0



- · Suitable for Z40 Nature Adapt
- · 780 (h) x 800 (w) x 600 (d) mm
- · Weight: 46,5 kg
- · Gastronorm tray + lid

Cabinet Store



- · Suitable for Z40 Nature Adapt
- · 780 (h) x 800 (w) x 600 (d) mm
- · Weight: 52 kg
- · EasyFill

GENERAL ACCESORIES

Bottle rack cabinet Ref. MB-N50



- · Two positions: Flat and sloping
- · 1850 (h) x 500 (w) x 600 (d)mm
- · Weight: 43 kg

Forex adhesive for cabinet Ref. Ask for details



- · Forex adhesive for Cabinet
- · Several designs available
- · Cabinet not included

Cleaning kit Ref. Ask for details



· Specific cleaning kit for Z14 N, Z40 N, Z10 and ZV25

Zummo Accesories

GENERAL ACCESORIES

Bottles Optional label



- · Volume: 0,25I, 0,5 I or 1 I
- · Material: Plastic
- · Screw top with safety seal

Disposable plastic cups Ref. Ask for details



*Ask for details

Glass bottles
Optional label



- · Volume: 0,25I, 0,5 I or 1 I
- · Material: Glass
- · Ask for details

Disposable paperboard cup Ref. Ask for details




*Ask for details

Bottle rack Ref. 0316004-N



- · Suitable for all cabinets*
- · 755 (h) x 345 (w) x 600 (d) mm
- · Weight: 7,1 kg
- * The bottle rack is not available for Fresh models



Summary table

Summary table





















Z14 Nature Inox Z14 Nature Inox Self Service

Z14 Nature Contactless Inox

Z40 Nature Adapt

			-		
	MODEL	Z1 Nature	Z06 Nature	Z06 Nature Inox	Z06 Nature Compact
	Filter	4 mm	3 mm Self cleaning	3 mm Self cleaning	3 mm Self cleaning
	Protection	Yes	Yes	Yes	Yes
	Tank	-	-	-	-
Ť	Тар	-	-	-	-
G	Gastronorm	-	-	-	-
	Optional basket	-	-	-	-
1	Dimensions	678 x 339 x 387 mm	811 x 548 x 431 mm	811 x 500 x 431 mm	1086 x 508 x 444 mm
	Basket capcity/Feeder	1 kg	1,5 kg	1.5 kg	1.5 kg
	Weight	29.5 kg	52.5 kg	52.5 kg	62.5 kg
ਊ <u>↓</u>	Height	167 mm	179 mm	179 mm	198 mm
	Peel container capacity	91	2 x 11 l	2 x 11 l / Counter Top	391
				l	l
¥	Consumption	165 W stand by 1.8 W	275 W	275 W	275 W
	Fruits per minute	6.5	10	10	10
2	Fruit size	Ø 55-90 mm	Ø 45-90 mm	Ø 45-90 mm	Ø 45-90 mm
	REFERENCE	Z1x-NGPZ1x-NBRZ1x-NORZ1x-NBE	Z06x-NGPZ06x-NBRZ06x-NORZ06x-NBE	ZI06x-N	CP06x-N

3 mm Self cleaning	3 mm Self cleaning	3 mm Self cleaning	3 mm Self cleaning	3 mm Self cleaning
Yes	Yes	Yes	Yes	Yes
-	-	-	-	-
-	-	Yes	-	-
-	-	-	-	-
16 kg	16 kg	16 kg	9 kg	-
822 x 478 x 460 mm	822 x 478 x 460 mm	867 x 478 x 488 mm	892x478x 485 mm	980 x 598 x 545 mm
9 kg	9 kg	9 kg	16 kg	20 kg
58.5 kg	58.5 kg	58.5 kg	60.5 kg	81.5 kg
180 mm	186 mm	170 mm	180/186/170 mm	160 mm
2 x 7 l	2 x 9 l / Counter Top	2 x 9 l	2 x 7 l	2 x 15 l / Counter Top
275 W	275 W	275 W	275 W	360 W stand by 2.4 W
16	16	16	16	40
Ø 55-90 mm	Ø 55-90 mm	Ø 55-90 mm	Ø 55-90 mm	Ø 40-100 mm
● Z06x-NGP ● Z14x-NBR ● Z14x-NOR ● Z14x-NBE	Zl14x-N	ZIG14x-N	*ZI14A16TA-N-PNT	ZT40xPA-N

Summary table

Zummo Summary table

Summary table



















MODEL	Z14 Nature
MODEL	Cabinet G Slin

Z14 Nature SS Cabinet G Slim 16

Z14 Nature Fresh Cabinet

Z14 Nature Fresh Cabinet Plus 16

Z40 Nature Adapt Cabinet Plus G Z40 Nature Adapt Cabinet Store

Z40 Nature Adapt Service Cabinet Plus

ZV25 Nature

Z10	Nature	

	Filter	3 mm Self cleaning	3 mm Self cleaning	3 mm Self cleaning	3 mm Self cleaning
1	Protection	Yes	Yes	Yes	Yes
	Tank	-	-	71	71
Ť	Тар	-	Yes	Yes	Yes
G	Gastronorm	Yes	Yes	-	-
	Optional basket	16 kg	9 kg	-	Yes
\downarrow	Dimensions	1600 x 500 x 600 mm	1600 x 500 x 600 mm	1785 x 650 x 530 mm	1855 x 840 x 530 mm
	Basket capacity	9 kg	9 kg	9 kg	16 kg
ă	Weight	90.7 kg	101.6 kg	109.5 kg	116.5 kg
	Height	269 mm / 190 mm	269 mm / 190 mm	160 mm / 200 mm / 240mm	160 mm / 200 mm / 240mm
	Peel container capacity	50 I	50 I	501	2 x 50 l
¥	Consumption	275 W	275 W	275 + 450= 725 W	275 + 450= 725 W
	Fruit per minute	16	16	16	16
	Fruit size	Ø 55-90 mm	Ø 55-90 mm	Ø 55-90 mm	Ø 55-90 mm
	REFERENCE	CC14x-N50	16 kg: CGC14x16-N50 9 kg: CGC14x-N50	CF14x-N65	CF14x16-N84

3 mm Self cleaning	3 mm Self cleaning	3 mm Self cleaning	Yes	Yes
Yes	Yes	Yes	Yes	Yes
-	-	7,6	-	-
Yes	Yes	Yes	-	-
-	-	-	-	-
-	-	-	-	-
1762 x 800 x 600 mm	1762 x 800 x 600 mm	1762 x 800 x 600 mm	1845x680 x780 mm	1830x1000 x680 mm
20 kg	20 kg	20 kg	25 kg	45-50 kg
122.5 kg	122.5 kg	122.5 kg	225 kg	300 kg
168 mm / 268 mm	238 mm	200 mm / 240 mm / 280 mm	-	-
2 x 55 l	2 x 50 l	2 x 55 l	30	55
360 W stand by 2.4 W	360 W stand by 2.4 W	360 W stand by 2.4 W	706 W	4,5 KW
40	40	40	14	10
Ø 40-100 mm	Ø 40-100 mm	Ø 40-100 mm	Ø 55-90 mm	Ø 45-90 mm
CTC40xPA-N80	CM40xPA-N80	CS40xPA-N80	ZV25x-N	Z10x-N

—We are aware that our image is determined by the quality of our products and services, and therefore by the human team behind them. The effort, development and innovation of our machines are certified by the approvals we have achieved; all of them have EC certification. The other certifications are available according to models. These approvals enable us to market the Zummo machines in the main markets. Zummo has developed an Integrated Quality Management System to design automatic citrus fruit juicing machines, certified in terms of quality, by TÜV NORD according to ISO 9001.

Notice

All the characteristics and technical specifications are based on available information at the time of printing this catalogue, and they may be modified without prior notice, in agreement with market circumstances, technological innovations and/or any other factor, without incurring any type of responsibility. The content of this catalogue (structure, texts, documents, images, etc.) is the property of ZUMMO INNOVACIONES MECANICAS S.A. and is protected by the intellectual property rights. The reproduction, dissemination, copy, manipulation or use of the content of this catalogue, either totally or partially, for any commercial or public purpose without the written consent and permission from ZUMMO INNOVACIONES MECANICAS S.A. is absolutely forbidden. Unauthorised use of this content may infringe the intellectual property, industrial property laws. personal rights, publicity and communication rights, the law on competition, and other regulations. ZUMMO INNOVACIONES MECANICAS S.A. declines any responsibility derived from these possible unauthorised uses.













